

Wayfinding Letters

Assembly Instructions

PARTS

DESIGN CENTER

TILE

POOL FINISH

HARDSCAPES

OUTDOOR KITCHEN


WATER FEATURES




**GO TO <https://www.crewdesign.com/npt>
OR SCAN QR CODE FOR DIGITAL INSTRUCTIONS AND
ADDITIONAL CONTACT INFORMATION**

TWO PEOPLE REQUIRED FOR ASSEMBLY

- 1** Consult your sales center diagram to identify the wall in which to apply the Wayfinding Letters. Use a level (not provided) to align the letters and letter template in desired location.



- 2** Using a pencil or tape (which will not damage the wall and can be removed easily) mark the corners and bottom edge so you can align the letters using the templates edge.



- 3** Take down Letters and Template from the wall and peel the backer tape.



4


IMPORTANT: One attempt to apply tape correctly - proceed with caution and accuracy.

Using two people or more align the letter template to the positional marks on wall. Push letters firmly to secure adhesive to wall surface.




5

Remove tape on front face of letters.



6

Pull away letter template from wall.



7

Erase any pencil marks or tape used for alignment and clean wall.



REPEAT STEPS TO INSTALL ALL WAYFINDING LETTERS

SEE FRONT PAGE FOR FULL LETTER SETS